Government of Saskatchewan
Ministry of Agriculture

Crop Report

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 8, June 27, 2013

For the Period June 18 to 24, 2013

Seeding is considered complete in the province, according to Saskatchewan Agriculture's Weekly Crop Report. The majority of crops are in fair to excellent condition, despite large amounts of rain received in many areas of the province.

Sixty per cent of the winter cereals, 57 per cent of the spring cereals, 51 per cent of oilseeds and 61 per cent of pulse crops are at their normal developmental stages for this time of year.

Heavy rains have caused some damage this week; warm weather is needed to dry fields up and advance crops. In-crop spraying operations have been delayed for most producers due to excess moisture.

One year ago

Seeding was wrapping up in most of the province. Most of the crops were at normal developmental stages and were in fair to good condition.

Follow the 2013 Crop Report on Twitter
@SKGovAg

SK Crop Development - June 24, 2013			
	% Ahead	% Normal	% Behind
Fall Cereals	2	60	38
Spring Cereals	1	57	42
Oilseeds	1	51	48
Pulse Crops	0	61	39

Across the province, topsoil moisture on crop land is rated as 30 per cent surplus, 68 per cent adequate and 2 per cent short. Hay land and pasture topsoil moisture is rated as 19 per cent surplus, 78 per cent adequate and 3 per cent short.

Farmers are busy controlling weeds and getting ready for haying.

For further information, contact: Grant McLean, PAg,
Cropping Management Specialist, Agriculture Knowledge Centre,
Toll Free: 1-866-457-2377, E-mail: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at www.agriculture.gov.sk.ca.

Agriculture and Agri-Food Canada | Agriculture et Agroalimentaire Canada

SCIC
SASKATCHEWAN CROP INSURANCE CORPORATION

Weevil Watch – June 26, 2013

During the last week, the alfalfa weevil hatch and development of the larvae (worms) has advanced significantly. Monitor the pure alfalfa fields more closely as those are the most likely to have high weevil populations.

As of June 26, some pure alfalfa stands in the Gravelbourg and Minton areas require immediate attention.
Alfalfa fields in the Yellow Grass, Coronach and Killdeer areas need to be monitored closely. Feeding is just now noticeable, and the larvae numbers are high. These fields will probably need to be either cut or sprayed within the next week to avoid significant damage. Surprisingly, one field that had been sprayed for weevils in 2012 has a similar high population compared to neighbouring fields that were not sprayed.

Do not assume that all pure alfalfa stands have high weevil populations. Alfalfa stands south of Weyburn had surprisingly few weevil larvae. Usually the mixed alfalfa/grass stands have significantly lower weevil populations. Fields checked in the Weyburn, Maxim, Lake Alma, and Gladmar areas currently have relatively low weevil numbers.

Determining the Weevil Population:
Weevil larvae will quickly drop to the ground when they detect a disturbance, so getting an accurate count representative of the true population can be challenging. A sweep net is very effective for collecting larvae as the sweep occurs ahead of any traffic or disturbance.
If a sweep net is not available, take a white 20 liter pail into the field. With the least disturbance possible grab a fist full of stems. Bend them into the pail first and then cut or pull out the stems. Shake the stems inside the pail to dislodge the larvae. Another method is to slap the stems on a flat surface.

Economic Threshold – Hay:
The majority of alfalfa is now taller than 40 cm (16 inches). A population of 2 or more larvae/stem will likely require immediate cutting or spraying. Refer to the 2013 Guide to Crop Protection, pages for 442-444 for information on monitoring, economic thresholds and insecticide options.

SE SK Crop Development - June 24, 2013			
	% Ahead	% Normal	% Behind
Fall Cereals	2	49	49
Spring Cereals	0	41	59
Oilseeds	0	39	61
Pulse Crops	0	38	62

Southeastern Saskatchewan (Crop District 1 – Carnduff, Estevan, Redvers, Moosomin and Kipling areas; Crop District 2 – Weyburn, Milestone, Moose Jaw, Regina and Qu'Appelle areas; Crop District 3ASE – Radville and Lake Alma areas)

Seeding is complete for producers in the southeast; however, some acres will remain unseeded due to flooding. There are indications that some producers will seed greenfeed if fields dry up enough in the next week. Heavy rainfall has flooded many seeded fields and in-crop spray operations have been delayed.

Significant rainfall was received in the region last week with the Redvers area recording 131 mm. This brings the total amount received since April 1 to 288 mm, the greatest amount for the area. The Frobisher area received 36 mm of rain, the Manor area 44 mm, the Stoughton area 53 mm, the Moosomin area 80 mm, the Glenavon and Briercrest areas 51 mm, the Grenfell area 64 mm, the Weyburn area 39 mm, the Odessa area 73 mm, the Moose Jaw area 101 mm, the Indian Head area 76 mm, the Radville area 45 mm and the Ceylon area 43 mm.

Topsoil moisture conditions on cropland are rated as 59 per cent surplus and 41 per cent adequate. Hay land and pasture topsoil moisture is rated as 33 per cent surplus and 67 per cent adequate. CDs 1A and 2A are reporting that 58 per cent and 100 per cent, respectively, of the cropland has surplus topsoil moisture at this time; 50 per cent of the hay and pasture land in CD 2A has surplus moisture.

There are reports of strong winds uprooting trees around the Manor and Arcola areas. Crop reporters are indicating that with the increased moisture in the region, many producers will be applying fungicides this year as disease pressure may be high. Alfalfa weevils are causing damage in some areas and some fields will be sprayed or cut early. Warm and dry weather is needed to help dry up the land and help crops and pasture grow. Overall the crops are in good condition and are either at or behind their normal developmental stages for this time of year.

Farmers are controlling weeds, getting ready for haying and hauling grain.

SW SK Crop Development - June 24, 2013			
	% Ahead	% Normal	% Behind
Fall Cereals	0	70	30
Spring Cereals	0	67	33
Oilseeds	0	63	37
Pulse Crops	0	69	31

Southwestern Saskatchewan (Crop District 3ASW – Coronach, Assiniboia and Ogema areas; Crop District 3AN – Gravelbourg, Mossbank, Mortlach and Central Butte areas; Crop District 3B – Kyle, Swift Current , Shaunavon and Ponteix areas; Crop District 4 – Consul, Maple Creek and Leader areas)

Producers in the southwest have completed seeding and are getting ready for haying in the coming weeks. Many fields are wet and in-crop spray applications are delayed for most producers.

The region received varying amounts of rainfall this past week. The Big Beaver area received 23 mm of rain, the Bengough area 82 mm, the Vanguard area 19 mm, the Lafleche area 20 mm, the Mossbank and Coderre areas 28 mm, the Gravelbourg and Mankota areas 43 mm, the Eyebrow area 14 mm, the Admiral area 17 mm, the Shaunavon and Blumenhof areas 53 mm, the Webb area 35 mm, the Swift Current area 64 mm, the Tyner area 71 mm, the Eastend area 34 mm, the Leader area 55 mm and the Maple Creek area 32 mm. The Bengough area has received the greatest amount of precipitation since April 1 for both the region and the province (301 mm).

Topsoil moisture for cropland is rated as six per cent surplus, 89 per cent adequate and five per cent short. Hay land and pasture topsoil moisture is rated as four per cent surplus, 89 per cent adequate and seven per cent short. CD 4A is reporting that 19 per cent of cropland and 20 per cent of hay and pasture land is short topsoil moisture at this time.

There have been reports of damage from insects such as cutworms in some canola crops in the area. Low levels of root rot and leaf diseases are being reported in some pea fields around the Swift Current area. There are indications that many producers will be spraying fungicides this year due to high disease pressure in some areas. While some of the region is reporting crop damage due to excess moisture, other parts are reporting damage from lack of moisture. Despite this, the crops are in good condition and for the most part are at normal developmental stages for this time of year.

Farmers are busy controlling weeds and getting ready for haying.

EC SK Crop Development - June 24, 2013			
	% Ahead	% Normal	% Behind
Fall Cereals	2	70	28
Spring Cereals	1	64	35
Oilseeds	1	62	37
Pulse Crops	3	66	31

East-Central Saskatchewan (Crop District 5 – Melville, Yorkton, Cupar, Kamsack, Foam Lake, Preeceville and Kelvington areas; Crop District 6A – Lumsden, Craik, Watrous and Clavet areas)

Seeding is complete in the region and producers are trying to spray in-crop applications in-between rain showers. Many fields in the area are wet and field operations are delayed.

Rainfall varied in the region this past week with the Rama area receiving the greatest amount (78 mm). The Stockholm area received 36 mm, the Abernethy and Bethune areas 24 mm, the Ituna area 25 mm, the Goodeve area 13 mm, the Raymore area 26 mm, the Kamsack area 33 mm, the Preeceville area 16 mm, the Wynyard area 38 mm, the Quill Lake area 22 mm, the Rose Valley area 17 mm, the Imperial area 56 mm, the Craik area 62 mm, the Humboldt area 46 mm and the Saskatoon area 38 mm. Since April 1, the Stockholm area has received the greatest amount of precipitation in the region (240 mm).

Cropland topsoil moisture is rated as 19 per cent surplus, 80 per cent adequate and one per cent short. Hay land and pasture topsoil moisture is rated as 14 per cent surplus, 83 per cent adequate and three per cent short.

The majority of the crops in the area are in good condition and are at their normal developmental stages for this time of year. Some of the canola in the area has emerged unevenly and spraying operations have been difficult for some producers. Some forage crops have been set back due to spring weather conditions and may not yield as well as expected. There are indications that haying will begin soon.

Farmers are busy controlling weeds, getting ready for haying and hauling grain.

WC SK Crop Development - June 24, 2013			
	% Ahead	% Normal	% Behind
Fall Cereals	2	79	19
Spring Cereals	0	55	45
Oilseeds	0	48	52
Pulse Crops	0	56	44

West-Central Saskatchewan (Crop Districts 6B – Hanley, Outlook, Loreburn, Saskatoon and Arelee areas; Crop District 7 – Rosetown, Kindersley, Eston, Major, Kerrobert, Macklin, Wilkie and Biggar areas)

Seeding has wrapped up in the region and many producers are busy spraying in-crop applications when the weather allows. Excess moisture in some areas is making spray operations difficult.

The region received significant rainfall this past week. The Hanley and Biggar areas received 30 mm, the Conquest area 41 mm, the Langham area 34 mm, the Hague and Rosthern areas 37 mm, the Eston area 35 mm, the Marengo area 99 mm, the Kindersley area 21 mm, the Kerrobert area 64 mm, the Cando area 56 mm, the Luseland area 40 mm, the Macklin area 76 mm and the Unity area 30 mm. Since April 1, the Major area has received the greatest amount of precipitation (207 mm).

Cropland topsoil moisture is rated as 25 per cent surplus, 73 per cent adequate and two per cent short. Hay land and pasture topsoil moisture is rated as 16 per cent surplus, 81 per cent adequate and three per cent short. CD 7B is reporting that 47 per cent of cropland and 39 per cent of hay and pasture land have surplus topsoil moisture at this time.

Some fields and access roads remain under water and warm weather will be needed soon to help dry them up. There have been reports of leaf disease in crops and many producers will be applying fungicides in the coming weeks due to high disease pressure. There are reports of hail but damage is minimal at this time. Hay crops are in good condition, as are the majority of crops in the region. Most crops are at their normal developmental stages for this time of year.

Farmers are busy controlling weeds, rolling pulses and getting ready for haying.

NE SK Crop Development - June 24, 2013			
	% Ahead	% Normal	% Behind
Fall Cereals	5	75	20
Spring Cereals	2	50	48
Oilseeds	2	45	53
Pulse Crops	1	58	41

Northeastern Saskatchewan (Crop District 8 – Hudson Bay, Tisdale, Melfort, Carrot River, Humboldt, Kinistino, Cudworth and Aberdeen areas; Crop District 9AE – Prince Albert, Choiceland and Paddockwood areas)

Seeding is complete in the region and producers are now focusing on weed control. However, excess moisture has made spraying operations difficult in some areas.

Large amounts of rain fell in the region again this week with the Vonda area reporting the greatest amount received (106 mm), bringing the total received since April 1 to 232 mm. The Porcupine Plain area received 42 mm of rain, the Arborfield area 35 mm, the Nipawin area 15 mm, the Alvena area 57 mm, the Kinistino area 22 mm, the Prince Albert area 30 mm, the Lake Lenore area 30 mm, the Birch Hills area 11 mm and the Garrick area 34 mm.

Topsoil moisture conditions on cropland are rated as 54 per cent surplus and 46 per cent adequate. Hay land and pasture topsoil moisture is rated as 49 per cent surplus, 50 per cent adequate and one per cent short. CD 9AE is reporting that 63 per cent of cropland and 65 per cent of hay and pasture land has surplus topsoil moisture at this time.

There are reports of root rot and yellowing crops in many wet fields and many producers will be spraying fungicides if the current weather persists. The majority of crops are in fair to good condition and are at normal developmental stages for this time of year. Warm weather will be needed to help the crops and pastures grow.

Farmers are busy controlling weeds, hauling grain and getting ready for haying.

NW SK Crop Development - June 24, 2013			
	% Ahead	% Normal	% Behind
Fall Cereals	0	81	19
Spring Cereals	0	53	47
Oilseeds	0	55	45
Pulse Crops	0	62	38

Northwestern Saskatchewan (Crop District 9AW – Shellbrook, North Battleford, Big River and Hafford areas; Crop District 9B – Meadow Lake, Turtleford, Pierceland, Maidstone and Lloydminster areas)

Seeding has wrapped up in the area and producers are now trying to spray crops in between rain showers. Warm weather is needed in most of the region to help dry fields and advance crops.

The North Battleford area received the greatest amount of rainfall this week (117 mm), bringing the total received since April 1 to 215 mm. The Radisson area received 75 mm of rain, the Hafford area 70 mm, the Rabbit Lake and Lloydminster areas 34 mm, the Spiritwood area 52 mm, the Glaslyn area 50 mm, the Turtleford area 57 mm, the Barthel area 28 mm and the Speers and Meadow Lake areas 38 mm.

Topsoil moisture conditions on cropland are rated as 35 per cent surplus and 65 per cent adequate. Hay land and pasture topsoil moisture is rated as 23 per cent surplus and 77 per cent adequate. CD 9B is reporting 39 per cent of cropland to have surplus topsoil moisture at this time.

The majority of crop damage this week was due to localized flooding, and reports of hail. For the most part crops are in good condition and are at their normal developmental stages for this time of year. Pastures are quickly growing and there are indications that haying will begin soon on drier land. Warm weather is needed in the coming weeks to help advance crops.

Farmers are busy controlling weeds and hauling grain.

SK (provincial) Crop conditions - June 24, 2013							
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Flax
% excellent	5	11	14	15	4	9	8
% good	52	53	69	73	73	69	68
% fair	31	31	14	12	18	19	23
% poor	11	5	2	0	3	3	1
% very poor	1	0	1	0	2	0	0
	Canola	Mustard	Pea	Lentil	Canaryseed	Chickpea	Sunflower
% excellent	10	20	17	14	8	18	0
% good	66	67	70	70	68	67	50
% fair	19	13	12	15	23	15	50
% poor	4	0	1	1	1	0	0
% very poor	1	0	0	0	0	0	0

Southeast							
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Flax
% excellent	2	1	11	12	9	8	5
% good	48	39	70	72	70	68	65
% fair	40	50	18	15	19	23	29
% poor	9	10	1	1	2	1	1
% very poor	1	0	0	0	0	0	0
	Canola	Mustard	Pea	Lentil	Canaryseed	Chickpea	Sunflower
% excellent	8	4	8	9	2	0	N/A
% good	72	64	80	66	77	74	N/A
% fair	18	29	11	24	19	26	N/A
% poor	1	3	1	1	2	0	N/A
% very poor	1	0	0	0	0	0	N/A

East-central							
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Flax
% excellent	7	4	13	16	1	9	9
% good	54	52	69	58	81	73	74
% fair	29	44	17	26	18	18	17
% poor	8	0	1	0	0	0	0
% very poor	2	0	0	0	0	0	0
	Canola	Mustard	Pea	Lentil	Canaryseed	Chickpea	Sunflower
% excellent	9	20	22	28	2	50	N/A
% good	71	42	64	51	76	25	N/A
% fair	19	38	14	21	22	25	N/A
% poor	1	0	0	0	0	0	N/A
% very poor	0	0	0	0	0	0	N/A

West-central							
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Flax
% excellent	11	18	19	16	13	15	12
% good	86	71	69	75	72	74	80
% fair	3	11	10	8	14	9	8
% poor	0	0	1	1	1	2	0
% very poor	0	0	1	0	0	0	0
	Canola	Mustard	Pea	Lentil	Canaryseed	Chickpea	Sunflower
% excellent	15	22	18	13	10	7	N/A
% good	64	61	71	75	74	93	N/A
% fair	16	17	9	11	14	0	N/A
% poor	4	0	1	1	2	0	N/A
% very poor	1	0	1	0	0	0	N/A

Northeast							
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Flax
% excellent	0	0	4	0	5	4	1
% good	28	76	62	50	61	51	47
% fair	55	21	22	41	23	34	46
% poor	15	2	10	7	9	10	5
% very poor	2	1	2	2	2	1	1
	Canola	Mustard	Pea	Lentil	Canaryseed	Chickpea	Sunflower
% excellent	2	45	4	0	2	N/A	0
% good	57	35	66	73	65	N/A	100
% fair	27	10	24	17	30	N/A	0
% poor	12	10	5	5	2	N/A	0
% very poor	2	0	1	5	1	N/A	0

Northwest							
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Flax
% excellent	6	2	11	0	4	7	23
% good	84	76	75	100	84	79	72
% fair	10	22	12	0	12	13	5
% poor	0	0	2	0	0	1	0
% very poor	0	0	0	0	0	0	0
	Canola	Mustard	Pea	Lentil	Canaryseed	Chickpea	Sunflower
% excellent	15	N/A	16	N/A	N/A	N/A	N/A
% good	66	N/A	69	N/A	N/A	N/A	N/A
% fair	15	N/A	15	N/A	N/A	N/A	N/A
% poor	4	N/A	0	N/A	N/A	N/A	N/A
% very poor	0	N/A	0	N/A	N/A	N/A	N/A

Crop Districts and Rural Municipalities in Saskatchewan



Weekly Rainfall

for the week ending June 24, 2013



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan
Ministry of Agriculture

0 25 50 100 150 200
Kilometers
Projection: UTM Zone 13 Datum: NAD83

N W E S

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: June 26, 2013

© 2013 Government of Saskatchewan

Weekly Rainfall

for the week ending June 24, 2013



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan
Ministry of Agriculture

0 25 50 100 150 200
Kilometers
Projection: UTM Zone 13 Datum: NAD83

N W E S

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: June 26, 2013

© 2013 Government of Saskatchewan

Weekly Rainfall Summary

(in millimeters) 1 inch = 25 mm for the period June 18 to 24, 2013

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
1A	2	Mount Pleasant	52	196
	3	Enniskillen	36	196
	33	Moose Creek	N/A	103
	34	Browning	29	123
	61	Antler	131	288
	63	Moose Mountain	44	158
	64	Brock	8	92
	65	Tecumseh	53	186
1B	91	Maryfield	45	131
	92	Walpole	N/A	80
	122	Martin	80	248
	123	Silverwood	47	192
	124	Kingsley	37	133
	125 A	Chester	51	7
	125 B	Chester	50	159.7
	151 A	Rocanville	28	142
	151 B	Rocanville	33	161
	153	Willowdale	N/A	157
	154	Elcapo	43	180
	155 A	Wolseley	64	163
	155 B	Wolseley	55	164
2A	67	Weyburn	N/A	169
	68	Brokenshell	42	217
	97	Wellington	36	114
	99	Caledonia	N/A	N/A
2B	127 A	Francis	72.5	153
	127 B	Francis	35.4	92.2
	129	Bratt's Lake	33	121.5
	131 A	Baildon	51	216
	131 B	Baildon	10	162
	156 A	Indian Head	55	126.5
	156 B	Indian Head	97	221
	160 A	Pense	101	176
	160 B	Pense	39	153.5
	161	Moose Jaw	61	178
	162	Caron	N/A	107
	191	Marquis	NIL	68
3ASE	38 A	Laurier	55	235
	38 B	Laurier	33	188
	39 A	The Gap	43	187
	39 B	The Gap	47	223
3ASW	10	Happy Valley	23	157
	11	Hart Butte	N/A	205.3
	12	Poplar Valley	18	183
	40 A	Bengough	21	221
	40 B	Bengough	82	301
	42	Willow Bunch	23	182
	43 A	Old Post	31	203
	43 B	Old Post	N/A	N/A
	70	Key West	N/A	84.3
	71	Excel	19	168
	72 A	Lake of the Rivers	N/A	N/A
	72 B	Lake of the Rivers	N/A	NIL
	73 A	Stonehenge	22.1	219.9
	73 B	Stonehenge	23	232
	74 A	Wood River	20	194.5
	74 B	Wood River	N/A	3
	74 C	Wood River	N/A	N/A
3AN	101	Terrell	21	154
	102	Lake Johnston	27.8	104.3
	103 A	Sutton	43	157
	103 B	Sutton	N/A	N/A
	132 A	Hillsborough	21	133.5
	132 B	Hillsborough	23.1	127.4
	134	Shamrock	28	178
	164 A	Chaplin	33.5	124
	164 B	Chaplin	N/A	N/A
	193 A	Eyebrow	14	71
	193 B	Eyebrow	N/A	80.2
	194	Enfield	N/A	N/A
	224	Maple Bush	23	115.5
3BS	17 A	Val Marie	37	227
	17 B	Val Marie	N/A	N/A
	45	Mankota	43	224.5
	75 A	Pinto Creek	27	156
	75 B	Pinto Creek	48	181
	76	Auvergne	31	147
	77	Wise Creek	17	173
	78 A	Grassy Creek	65	187
	78 B	Grassy Creek	41	201.5
	105	Glenbain	20	157
	106	Whiska Creek	14	121
	107 A	Lac Pelletier	43	145
	107 B	Lac Pelletier	N/A	43.5
	108	Bone Creek	63	178
3BN	138 A	Webb	35	146
	138 B	Webb	17.8	115.2
	166 A	Excelsior	42	148
	166 B	Excelsior	N/A	N/A
	167	Sask. Landing	24.4	112.4
	168 A	Riverside	64	162
	168 B	Riverside	20.3	145.6
	226 A	Victory	N/A	49
	226 B	Victory	N/A	30
	228	Lacadena	70.5	122.5
	255	Coteau	14	82.9
	257	Monet	37	85.6
4A	19	Frontier	N/A	N/A
	49	White Valley	34	156
	51 A	Reno	23.6	137.5
	51 B	Reno	N/A	N/A
	79	Arlington	63	203
	109	Carmichael	38	120.5
	110	Piapot	40	119
	111	Maple Creek	24	108
4B	139	Gull Lake	36	126
	141	Big Stick	25	112
	142	Enterprise	37	148
	169	Pittville	N/A	128
	231	Happyland	55	129
5A	183 A	Fertile Belt	36	239.5
	183 B	Fertile Belt	18	157.5
	186	Abernethy	24	86
	211	Churchbridge	17	94
	213	Saltcoats	13	122
	214	Cana	N/A	25
	216	Tullymet	25	122.3
	217 A	Lipton	N/A	N/A
	241	Calder	16	114
	243	Wallace	11	101
	245 A	Garry	20	72
	245 B	Garry	13	78
	245 C	Garry	13	61
	246	Ituna Bon Accord	26	102
	247	Kellross	23	88
	248	Touchwood	21	84
5B	271	Cote	33	113
	273	Sliding Hills	N/A	51.5
	277	Emerald	23	73
	305	Invermay	78	135.5
	307	Elfros	23	88
	308 A	Big Quill	38	89
	308 B	Big Quill	31	105
	331	Livingston	33	156
	333	Clayton	N/A	39
	334	Preeceville	16	89.2
	336	Sasman	N/A	39
	337 A	Lakeview	19	105
	337 B	Lakeview	N/A	21.5
	338	Lakeside	22	126
	366	Kelvington	37	118
	367	Ponass Lake	16.5	107.1
6A	190 A	Dufferin	26	102
	190 B	Dufferin	21	103.5
	190 C	Dufferin	37	132
	190 D	Dufferin	N/A	42.03
	190 E	Dufferin	N/A	N/A
	219	Longlaketon	N/A	66
	220	Mckillop	21	141
	221	Sarnia	23.2	112.3
	222	Craik	13	105
	251	Big Arm	56	148
	252	Arm River	62	145
	279	Mount Hope	45	131
	282	McCraney	43	147
	309	Prairie Rose	N/A	106
	310	Usborne	N/A	N/A
	313	Lost River	N/A	N/A
	339	Leroy	35.8	164.5
	340	Wolverine	56	222
	341	Viscount	70	213
	343 A	Blucher	24	176.8
	343 B	Blucher	38.2	70
6B	283	Rosedale	30	130
	284	Rudy	27	133
	285	Fertile Valley	41	113
	286	Milden	23	84
	314	Dundurn	27	158
	344	Corman Park	34	107
	346	Perdue	29	125
	376 A	Eagle Creek	N/A	94
	376 B	Eagle Creek	27	152
	403 A	Rosthern	37	144
	403 B	Rosthern	37	193
7A	259	Snipe Lake	31.5	109.5
	260 A	Newcombe	35	105
	260 B	Newcombe	58	95
	261	Chesterfield	N/A	56
	287	St. Andrews	32	126
	288	Pleasant Valley	35	123
	290 A	Kindersley	38	110.5
	290 B	Kindersley	N/A	50.5
	290 C	Kindersley	49	131.5
	292	Milton	99	166
	317 A	Marriott	30	53
	317 B	Marriott	30	138
	317 C	Marriott	N/A	N/A
	318	Mountain View	39	166
	320 A	Oakdale	20.5	110.4
	320 B	Oakdale	21	113
	321	Prairiedale	15	80
7B	347 A	Biggar	24	140
	347 B	Biggar	35	134.5
	350 A	Manposa	17.7	104
	350 B	Manposa	64	146
	351	Progress	31	124
	352	Heart's Hill	57	207
	377	Glenside	41	163
	378 A	Rosemount	22	112
	378 B	Rosemount	56	177
	379	Reford	30	107
	381	Grass Lake	40	134.1
	382	Eye Hill	76.2	148
	409 A	Buffalo	67	201
	409 B	Buffalo	N/A	N/A
	410	Round Valley	30.4	112.4
	411	Senlac	N/A	N/A
8A	396	Porcupine	42	97
	397	Barrier Valley	27	114.7
	428	Star City	27	120
	456	Arborfield	35	102
	457	Connaught	27	148
	458	Willow Creek	15	107
	486	Moose Range	16	86
	487 A	Nipawin	14	105
	487 B	Nipawin	N/A	N/A
8B	369	St. Peter	30	122
	370	Humboldt	45	160
	371	Bayne	74	195
	372	Grant	105.7	232.1
	400 A	Three Lakes	N/A	NIL
	400 B	Three Lakes	30	180
	402	Fish Creek	57	195
	429	Flett's Springs	21	165
	431	St. Louis	N/A	N/A
	459	Kinistino	22	181
	460	Birch Hills	11	108.4
9AE	461	Prince Albert	N/A	22.4
	488	Torch River	34	138
	491	Buckland	30	183
9AW	406	Mayfield	75	171
	435	Redberry	70	162
	436	Douglas	38	156
	463	Duck Lake	37	187
	466	Meeting Lake	60	N/A
	467 A	Round Hill	34	184
	467 B	Round Hill	N/A	156
	494	Canwood	N/A	N/A
	496 A	Spiritwood	N/A	N/A
	496 B	Spiritwood	52	115.9
	497	Medstead	48	201
9B	438	Battle River	117	215
	440	Hillsdale	54	160
	442	Manitou Lake	28.5	127.1
	498 A	Parkdale	49	119
	498 B	Parkdale	51	131
	499 A	Mervin	75	191.4
	499 B	Mervin	N/A	23.5
	501 A	Frenchman Butte	28	150
	501 B	Frenchman Butte	57	140
	501 C	Frenchman Butte	29	121
	502 A	Britannia	N/A	N/A
	502 B	Britannia	33.5	141
	561	Loon Lake	28	123
	588 A	Meadow Lake	9	131
	588 B	Meadow Lake	37	151
	588 C	Meadow Lake	38	163
	588 D	Meadow Lake	15.5	119.5
	588 E	Meadow Lake	N/A	N/A
	622	Beaver River	17	108.5

Municipality No: A, B, C, D and E - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

Cumulative Rainfall

From: April 1, 2013
To: June 24, 2013



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan
Ministry of Agriculture

0 25 50 100 150 200
Kilometers
Projection: UTM Zone 13 Datum: NAD83

N W E S

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: June 26, 2013

© 2013 Government of Saskatchewan

Cropland Topsoil Moisture Conditions

June 25, 2013



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan
Ministry of Agriculture

0 25 50 100 150 200
Kilometers
Projection: UTM Zone 13 Datum: NAD83

N W E S

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: June 26, 2013

© 2013 Government of Saskatchewan

Hay and Pasture Topsoil Moisture Conditions

June 25, 2013



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan
Ministry of Agriculture

0 25 50 100 150 200
Kilometers
Projection: UTM Zone 13 Datum: NAD83

N W E S

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: June 26, 2013

© 2013 Government of Saskatchewan